
# RAW SEQUENCE LISTING



RECEIVED

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable

Application Serial Number: 09/383, 789/

Source:

Date Processed by STIC:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS. PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE
- TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

### Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST 25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2Kcompliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

## Raw Sequence Listing Error Summary

#### ERROR DETECTED SUGGESTED CORRECTION SERIAL

ATT	I: NEW RULES CASES:	PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE	
1	Wrapped Nucleics	The number/text at the end of each line "wrapped" down to the next line.	
•	- ''	This may occur if your file was retrieved in a word processor after creating it.  Please adjust your right margin to .3, as this will prevent "wrapping".	
2	Wrapped Aminos	The amino acid-number/text at the end of each line "wrapped" down to the next line.	
		This may occur if your file was retrieved in a word processor after creating it.	
		Please adjust your right margin to .3, as this will prevent "wrapping".	
3	Incorrect Line Length	TECH CENTER 1600/2900  The rules require that a line not exceed 72 characters in length. This includes spaces.	
4	Misaligned Amino Acid	The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs	
<u> </u>	Numbering	between the numbering. It is recommended to delete any tabs and use spacing between the numbers.	
5	Non-ASCII	This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.	
		Please ensure your subsequent submission is saved in ASCII text so that it can be processed.	
6	Variable Length	Sequence(s) contain n's or Xaa's which represented more than one residue.	
	•	As per the rules, each n or Xaa can only represent a single residue.	
		Please present the maximum number of each residue having variable length and	
		indicate in the (ix) feature section that some may be missing.	
7	Patentin ver. 2.0 "bug"	A "bug" in Patentin version 2.0 has caused the <220>-<223> section to be missing from amino acid	
		sequence(s) Normally, Patentin would automatically generate this section from the	
		previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section	
		to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223>	
		sections for Artificial or Unknown sequences.	
8	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence:	
	(OLD RULES)	(2) INFORMATION FOR SEQ ID NO:X:	
	(020110220)	(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS	")
		(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:	•
		This sequence is intentionally skipped	
		Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s).	
9	Skipped Sequences	Sequence(s) missing. If intentional, please use the following format for each skipped sequence.	
	(NEW RULES)	<210> sequence id number	
	,	¢400> sequence id number	
		000	
10	Use of n's or Xaa's	Use of n's and/or Xaa's have been detected in the Sequence Listing.	
	(NEW RULES)	Use of <220> to <223> is MANDATORY if n's or Xaa's are present.	
	. ,	In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	
11	Use of <213>Organism	Sequence(s) are missing this mandatory field or its response.	
T	(NEW RULES)	<del>1-</del> 4	
()			
12	Use of <220>Feature	Sequence(s) are missing the <220>Feature and associated headings.	
	(NEW RULES)	Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown"	
	•	Please explain source of genetic material in <220> to <223> section.	
		(See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Ri	Jles)
13	Patentin ver. 2.0 "bug"	Please do not use "Copy to Disk" function of Patentin version 2.0. This causes a corrupted	
_	James J.	file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing).	
		Instead, please use "File Manager" or any other means to copy file to floppy disk.	

## RECEIVED 1653

JAN 08 2001

RAW SEQUENCE LISTING DATE: 12/28/2000 PATENT APPLICATION: US/09/383,789A TIME: 08:06:47

Input Set : A:\X-12013.txt

Output Set: N:\CRF3\12282000\1383789A.raw

Does Not Comply
Corrected Diskette Needed

```
3 <110> APPLICANT: Hughes, Benjamin
           Wolff, Ronald
                                             9/383,789A
26
50/098273

50/100012

Per 1.823 of rew Sequence Rules, the only valid 22137 responses are: Unknown, Artificial Sequence, or Scientific name on 1 is Ala, Gly, Val. Thr. 110 and 110.
   6 <120> TITLE OF INVENTION: METHOD FOR ADMINISTERING INSULINOTROPIC PEPTIDES
   8 <130> File REFERENCE: X-12013
  10 <140> CURRENT APPLICATION NUMBER: 09/383,789A
  11 <141> CURRENT FILING DATE: 1999-08-26
  13 <150> PRIOR APPLICATION NUMBER: US 60/098273
  14 <151> PRIOR FILING DATE: 1998-08-28
  16 <150> PRIOR APPLICATION NUMBER: US 60/100012
  17 <151> PRIOR FILING DATE: 1998-09-11
  19 <160> NUMBER OF SEQ ID NOS: 4
  21 <170> SOFTWARE: PatentIn version 3.0
  23 <210> SEQ 10 NO: 1
  24 <211> LENGTH: 29
  25 <212> TYPE: PFT
  26 -: 213 > ORGANISM: Artificial/Unknown
  28 <220> FEATURE:
  29 <221> NAME/KEY: PEPTIDE
  30 <222> LOCATION: (1)..(1)
  30 <222> LOCATION: (1)..(1)
31 <223> OTHER INFORMATION: X at position 1 is Ala, Gly, Val, Thr. Ile and alpha-methyl-Ala. (CINUS/Species)
34 <220> FEATURE:
                                                                                         one of the

Three-do not

combine response

(see ten 12 on

Evor Summary

Sheet)
  35 <221> NAME/KEY: PEPTIDE
  36 <222> LOCATION: (14)..(14)
  37 <223> OTHER INFORMATION: X at position 14 is Glu, Gln, Ala, Thr, Ser and Gly.
  40 <220> FEATURE:
  41 <221> NAME/KEY: PEPTIDE
  42 <222> LOCATION: (20)..(20)
  43 <223> OTHER INFORMATION: X at position 20 is Glu, Gln, Ala, Thr, Ser and Gly.
  46 <490> SEQUENCE: 1
48 Xaa Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Xaa Gly Gln
  49 1
🔌 51 Ala Ala Lys Xa'a Phe Ile Ala Trp Leu Val Lys Gly Arg
                  20
  54 <210> SEQ ID NO: 2
  55 <211> LENGTH: 29
  56 <212> TYPE: PRT
 57 <213> ORGANISH Artificial/Unknown
59 <220> FEATURE:
 60 <221> NAME/KEY: PEPTIDE
 61 <222> LOCATION: (28)..(28)
 62 <223> OTHER INFORMATION: X at position 28 is Lys
 65 <220> FEATURE:
 66 <221> NAME/KEY: PEPTIDE
 67 <222> LOCATION: (29)..(29)
 68\ \mbox{<223>} OTHER INFORMATION: X at position 29 is Gly or is absent
 71 400> SEQUENCE: 2
 73 His Ala Glu Gly Phr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/383,789A

DATE: 12/28/2000 TIME: 08:06:47

Input Set : A:\X-12013.txt

Output Sot: N:\CRF3\12282000\1383789A.raw

RECEIVED

JMN 08 2774

TECH CENTER 1800 (2017)

```
10
                                                            15
74 1 76 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Xaa Xaa
     77
            20
     79 <2195 SEO ID NO:
     80 <211> LENGTH: 29
     81 <212> TYPE: PRT
     82 <213> ORGANISM Artificial/Unknown
     84 <220> FEATUPE:
     85 <221> NAME/FEY: PLPTIDE
     86 <222> LOCATION: (19)..(19)
     87 <223> OTHER INEORMATION: X at position 19 is Lys or Arg.
     90 <400> SEQUENCE: 3
     92 Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly Gln
93 l 5 10 95 Ala Ala Xaa Glu Phe Ile Ala Trp Leu Val Lys Gly Arg
            20
                                      25
     98 <210> SEQ 1D NO: 4
     99 <211> LENGTH: 31
     100 <212> TYPE: PRT
     101 <213> ORGANISM Artificial/Unknown
     103 <220> FEATURE:
     104 <221> NAME/KEY: misc_teature
     105 <222> LOCATION: ()..()
     106 <223> OTHER INFORMATION: Description of Artificial Sequence
     109 <400> SEQUENCE: 4
     III His Val Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
     112 1 5
                                         10
     114 Gln Ala Ala Lys Glu Phe Tie Ala Trp Leu Val Lys Gly Arg Gly
                         25
     115 20
```

#### VERIFICATION SUMMARY

PATENT APPLICATION: US/09/383,789A DATE: 12/28/2000 IIME: 08:06:10

Input Set : A:\X-12013.txt

Output Set: N:\CRF3\12282000\1383789A.raw

L:48 M:341 W: (46) "n" or "Xua" used, for SEQ 1D#:1 L:51 H:341 W: (46) "n" or "Xua" used, for SEQ 1D#:1 L:76 M:341 W: (46) "n" or "Xua" used, for SEQ 1D#:2 L:95 U:341 W: (46) "n" or "Xua" used, for SEQ 1D#:3



TECH CENTER TO SERVE